




HEXXAMAX

# PRODUCT CATALOGUE

## 2025

### BHARAT KI TAQAT

COMPLETE RANGE OF POWER TOOLS,  
AGRICULTURAL EQUIPMENT, AND  
INDUSTRIAL SOLUTIONS



Pan India Dealer Network



Affordable & Reliable



After-Sales Service Support

SHOP NOW



EXPLORE MORE

[WWW.HEXXAMAX.COM](http://WWW.HEXXAMAX.COM)

### CONTACT US



PANKAJ SAHU

CEO & Founder



@hexxamax




@HEXXAMAX



@HEXXAMAX INDIA



7099904001



AVAILABLE ON AMAZON



Unit no 23,

Zamrudpur, G.K.-1, New Delhi - 110048



[WWW.HEXXAMAX@GMAIL.COM](mailto:WWW.HEXXAMAX@GMAIL.COM)



# Welcome to the World of Hexxamax



**Empowering Dreams. Fueling Progress.**

At Hexxamax, we don't just create machines — we support the people who keep this nation moving. From the buzzing fields of North India to the lush landscapes of the North East, our tools stand beside farmers, mechanics, and everyday heroes who work with strength, hope, and determination.

Every motor, brushcutter, and water pump we build carries a simple promise: reliable quality that's within reach. Our catalogue isn't just a lineup of equipment — it's a salute to your courage, your craft, and your commitment to progress.

Together, we grow. Together, we rise.

**Hexxamax — Bharat Ki Taaqat.**



## OUR PRODUCTS



- **GENERATORS**
- **WATER PUMPS**
- **BRUSHCUTTERS**
- **CHAIN SAW**
- **TILLER**
- **SPARE PARTS**



# BRUSHCUTTER/GRASS TRIMMERS

**4  
STROKE  
DESIGN**



## HX350S

### SPECIFICATIONS

- JX35 ENGINE
- ENGINE TYPE: AIR- COOLED 4 STROKE
- DISPLACEMENT: 35.8CC ENGINE
- POWER: 1.0KW/7000RPM NET
- TORQUE: 1.8Nm/5000rpm FUEL TANK
- CAPACITY: 630ML ENGINE OIL CAPACITY: 80ML
- CARBURETOR: DIAGHRAM



**2  
STROKE  
DESIGN**



## HX430S

### SPECIFICATIONS

- 40-5 ENGINE
- ENGINE TYPE: AIR- COOLED 2 STROKE
- DISPLACEMENT: 43CC ENGINE
- POWER: 1.25KW/7000RPM
- NET TORQUE: 1.82NM/5000RPM
- FUEL TANK CAPACITY: 1200ML
- CARBURETOR: DIAGHRAM



## HX520S

### SPECIFICATIONS

- 44-5 ENINE
- ENGINE TYPE: AIR- COOLED 2 STROKE
- DISPLACEMENT: 52CC ENGINE
- POWER: 1.45KW/7000RPM
- NET TORQUE: 2.8NM/5000RPM
- FUEL TANK
- CAPACITY: 1200ML
- CARBURETOR: DIAGHRAM

**2  
STROKE  
DESIGN**



4  
STROKE  
DESIGN2  
STROKE  
DESIGN

# HX350B



## SPECIFICATIONS

- JX35 ENGINE
- ENGINE TYPE: AIR- COOLED 4 STROKE
- DISPLACEMENT: 35.8CC ENGINE
- POWER: 1.0KW/7000RPM NET
- TORQUE: 1.8Nm/5000rpm FUEL TANK
- CAPACITY: 630ML ENGINE OIL CAPACITY: 80ML
- CARBURETOR: DIAGRAM

# HX430B



## SPECIFICATIONS

- 40-5 ENGINE
- ENGINE TYPE: AIR- COOLED 2 STROKE
- DISPLACEMENT: 43CC ENGINE
- POWER: 1.25KW/7000RPM
- NET TORQUE: 1.82NM/5000RPM
- FUEL TANK CAPACITY: 1200ML
- CARBURETOR: DIAGRAM



### Cutting Tools



2-Teeth grass cutting blade



AutoCut mowing head



Brush Knife



4-teeth grass cutting blade



Circular Saw blade, scratcher tooth



Circular Saw blade, chisel tooth



### Attachments - KA 120 / KA 250



Pick Tine



Bolo Tines



Auto Cut



Brush Knife



Circular Saw Blade



Paddy Harvester Attachment



Paddy Weeder Attachment



## SELF PRIMING PUMPS



### HXM-0522 0.5HP

#### ⚙️ SPECIFICATIONS

- Motor Rating: 0.37 kW / 0.5 HP
- Core Length: 71F / 40 mm
- Pipe Size: 25 x 25 mm
- Total Head Range: 6–27 meters
- Average Discharge: ~22 LPM (Litres Per Minute)
- Weight: 6.000 KG



### HXM-1034 1 HP

#### ⚙️ SPECIFICATIONS

- Motor Rating: 0.75 kW / 1 HP
- Core Length: 71F / 60 mm
- Pipe Size: 25 x 25 mm
- Total Head Range: 6–36 meters
- Average Discharge: ~29 LPM (Litres Per Minute)
- Weight: 7.500 KG



- ✓ Strong and consistent water flow
- ✓ Copper winding motor
- ✓ Energy-efficient performance
- ✓ Compact and easy to install

- ✓ Heavy-duty, durable build
- ✓ Thermal overload protection
- ✓ Ideal for home, farm & garden u
- ✓ Backed by 1-year warranty



## ECO-SERIES PORTABLE GENERATOR



# HXG3000i



## ⚙ SPECIFICATIONS

- RATED OUTPUT(VA) (50HZ) :2700
- MAX OUTPUT(VA) (50HZ) :3000
- STARTING SYSTEM :MANUAL
- OIL ALERT SYSTEM :YES
- DISPLACEMENT CC :208
- DIMENSION(LxWxH)mm :598x458x483
- DRY WEIGHT(KG) :50



- 3000 VA maximum power output
- 208cc high-performance engine
- Manual pull-start system
- Oil alert system for engine safety
- Fuel-efficient for longer usage

- Compact and easy to transport
- Durable metal body construction
- Stable power for appliances and tools
- Low maintenance and user-friendly
- Ideal for homes, shops, and farms



SPARE PARTS

# HEXXAMAX




## SPARE PARTS & ACCESORIES



CLUTCH DRUM



PISTON KITS



CRANK SHAFT



SAW CHAIN



PROFESSIONAL RIM



CARBURETORS



CYLINDER KITS



HARDWARE KIT



TRIMMER LINES



CAHIN SAW BAR



BAR/CHAIN OIL



OTHER PARTS



UPCOMING PRODUCTS

# UPCOMING PRODUCTS



**HIGH PERFORMANCE  
CHAIN SAW**



**GASOLINE WATER  
PUMP**



**POWER TILLER**



**SCAN ME**

## BHARAT KI TAQAT

CONTACT FOR DEALERSHIPS




[WWW.HEXXAMAX.COM](http://WWW.HEXXAMAX.COM)



AVAILABLE ON AMAZON

Unit no 23,  
Zamrudpur, G.K.-1, New Delhi - 110048



**CALL US**

7099904001



[WWW.HEXXAMAX@GMAIL.COM](mailto:WWW.HEXXAMAX@GMAIL.COM)